

By Dr. A. M. Morgan.

March 9, 1930, at Buckland Park, Two Wells, S.A., noted the following species:—Hoary-headed Grebe (*Podiceps poliocephalus*); Red-capped Dotterel (*Charadrius ruficapillus*); Black-fronted Dotterel (*C. melanops*); Greenshank (*Tringa nebularia*); Red-necked Stint (*Erolia ruficollis*); Sharp-tailed Sandpiper (*E. acuminata*); Grey Teal (*Querquedula gibberifrons*), two broods were seen, one with ten, the other with seven; Whistling Eagle (*Haliastur sphenurus*); Bare-eyed Cockatoo (*Kakatoe sanguinea*); Galah (*K. roseicapilla*); Singing Honey-eater (*Meliphaga virescens*).

March 16, 1930, at the same place, two Curlew Sandpipers (*Erolia testacea*) and a flock of 20 Black-fronted Dotterels were at a fresh-water pool. Two Black Swans (*Chenopsis atrata*), one immature, just beyond the cygnet stage, were found dead, probably shot by a sportsman (?). A Whistling Eagle was feeding off one body.

April 25, 1930.—A Boobook Owl (*Ninox boobook*) and a Scarlet Robin (*Petroica multicolor*), ♀, were seen in the North Park Lands.

Dr. Guy Lendon informed me that a Pelican (*Pelecanus conspicillatus*) he had collected weighed 9 lb., and that the pouch would hold 3 gallons of water.

Sir Lancelot Stirling advised me that some years ago he shot a Bustard (*Eupodotis australis*) near Terowie, S.A., which weighed 28 lb.