

---

*Bird Notes.*

---

J. Neil McGillp noted at Yaddlamalka, 36 miles north of Port Augusta, on 19th July, 1932, one Sharp-tailed Sandpiper (*Erolia acuminata*) in the company of 25 Red-capped Dotterels (*Charadrius ruficapillus*), a flock of 30 Freckled Ducks (*Stictonetta naevosa*), some Wood-Ducks (*Chenonetta jubata*), Pink-eared Ducks (*Malacorhynchus membranaceus*), Hard-heads or White-eyed Ducks (*Nyroca australis*), and Grey Teal (*Querquedula gibberifrons*).

At the Grange on 23rd July, 1932, he noticed that the tea-tree had been cut down at the usual place visited. In the samphire were found seven nests of the Spotted Scrub-Wren (*Sericornis maculatus*)—three with two eggs in each, two ready for eggs, and two being built. A Fan-tailed Cuckoo (*Cacomantis flabelliformis*) and a Horsfield Bronze-Cuckoo (*Chalcites basalis*) were noted in the neighbourhood. On 30th July the samphire was submerged. On 11th September a Black-tailed Native-Hen (*Tribonyx ventralis*) and a Fan-tailed Cuckoo were seen. A Pallid Cuckoo (*Caculus pallidus*) was being scared away by a ♀ Hooded Robin (*Melanodryas cucullata*), but the nest was not found. A Spotted Scrub-Wren's nest contained three eggs; another nest of that species had two eggs, and one of the Black-eared Cuckoo (*Owenavis osculans*). A nest of a White-fronted Chat (*Epthanatra albifrons*) contained three eggs and one of the Horsfield Bronze-Cuckoo.

At Camden Swamp, on 17th September, 1932, three pairs of White-headed Stilts (*Himantopus leucoccephalus*) and five Red-kneed Dotterels (*Erythrogonys cinctus*), were seen, but no with five eggs each. A Pipit's (*Anthus australis*) nest contained three eggs. Sharp-tailed Sandpipers. Nine nests of the Little Crake (*Porzana pusilla*) were found—three with six eggs each, and six